

**From:** [McMillan, Teresa](#)  
**To:** [Coltrain, Katrina](#)  
**Cc:** [cradu@eaest.com](mailto:cradu@eaest.com); [lvega\\_eaest.com](mailto:lvega_eaest.com)  
**Subject:** RE: FW: Wilcox TO#128 - DQO Table and SW, Sed. and Pond Sampling  
**Date:** Monday, February 29, 2016 3:01:36 PM

---

Katrina,

Thank you for sending on the information from Todd. If it is alright with you as we get comments back we will make one final revision before presenting it to the large group. Then once that is complete we finalize all comments and present the information in the SAP.

Teri McMillan, PG  
EA Engineering, Science, and Technology, Inc., PBC  
320 Gold Ave SW, Suite 1300  
Albuquerque, New Mexico 87102  
(505) 715-4332

---

**From:** Coltrain, Katrina [<mailto:coltrain.katrina@epa.gov>]  
**Sent:** Monday, February 29, 2016 1:37 PM  
**To:** McMillan, Teresa <[tmcmillan@eaest.com](mailto:tmcmillan@eaest.com)>  
**Subject:** FW: FW: Wilcox TO#128 - DQO Table and SW, Sed. and Pond Sampling

Katrina Higgins-Coltrain  
Remedial Project Manager  
US EPA Region 6  
LA/OK/NM Section (6SF-RL)  
1445 Ross Avenue  
Dallas, Texas 75202  
214-665-8143

---

**From:** Downham, Todd [<mailto:Todd.Downham@deq.ok.gov>]  
**Sent:** Monday, February 29, 2016 9:41 AM  
**To:** 'Forsythe, Barry' <[barry\\_forsythe@fws.gov](mailto:barry_forsythe@fws.gov)>; Coltrain, Katrina <[coltrain.katrina@epa.gov](mailto:coltrain.katrina@epa.gov)>  
**Cc:** Turner, Philip <[Turner.Philip@epa.gov](mailto:Turner.Philip@epa.gov)>  
**Subject:** RE: FW: Wilcox TO#128 - DQO Table and SW, Sed. and Pond Sampling

There is an additional tributary downstream of Confluence 2, that drains the P2 area. Surface water from P2 overflow and the East tank farm flow into this.

**Todd Downham**  
Environmental Programs Specialist

Department of Environmental Quality  
Site Remediation Section  
Land Protection Division  
(405) 702-5136  
[todd.downham@deq.ok.gov](mailto:todd.downham@deq.ok.gov)

**From:** Forsythe, Barry [[mailto:barry\\_forsythe@fws.gov](mailto:barry_forsythe@fws.gov)]  
**Sent:** Monday, February 29, 2016 7:19 AM  
**To:** Coltrain, Katrina  
**Cc:** Downham, Todd; Turner, Philip  
**Subject:** Re: FW: Wilcox TO#128 - DQO Table and SW, Sed. and Pond Sampling

At this time I do not have any substantive comments. However, that could change following our planned site visit this week when I get a better feel for the site.

On Mon, Feb 29, 2016 at 7:00 AM, Coltrain, Katrina <[coltrain.katrina@epa.gov](mailto:coltrain.katrina@epa.gov)> wrote:  
[Additional thoughts?](#)

Katrina Higgins-Coltrain  
Remedial Project Manager  
US EPA Region 6  
LA/OK/NM Section (6SF-RL)  
1445 Ross Avenue  
Dallas, Texas 75202  
214-665-8143

---

**From:** McMillan, Teresa [<mailto:tmcmillan@eaest.com>]  
**Sent:** Friday, February 26, 2016 4:21 PM  
**To:** Coltrain, Katrina <[coltrain.katrina@epa.gov](mailto:coltrain.katrina@epa.gov)>  
**Cc:** [cradu@eaest.com](mailto:cradu@eaest.com); [lvega\\_eaest.com](mailto:lvega_eaest.com) <[lvega@eaest.com](mailto:lvega@eaest.com)>  
**Subject:** Wilcox TO#128 - DQO Table and SW, Sed. and Pond Sampling

Katrina,

Please find the edits to the DQOs and proposed surface water and sediment sampling strategy. Please let me know if you have any questions.

Thanks,

Teri McMillan

--

Barry Forsythe, Ph.D.

**USFWS National Spill Response Coordinator**  
**USFWS Liaison (USEPA Region VI)**

1445 Ross Ave., Suite 1200, 6SF-T

Dallas, TX 75202

Office: (214)665-8467

Cell: (703)338-4429